ATSDR Agency for Toxic Substances & Disease Registry

ToxFAQs™ for Tetrachloroethylene (PERC)

(*Tetracloroetileno*)

September 1997

CAS# 127-18-4

PDF Version, 42 KB

This fact sheet answers the most frequently asked health questions about tetrachloroethylene (PERC). For more information, you may call the ATSDR Information Center at 1-888-422-8737. This fact sheet is one in a series of summaries about hazardous substances and their health effects. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present.

Highlights

Tetrachloroethylene is a manufactured chemical used for dry cleaning and metal degreasing. Exposure to very high concentrations of tetrachloroethylene can cause dizziness, headaches, sleepiness, confusion, nausea, difficulty in speaking and walking, unconsciousness, and death. Tetrachloroethylene has been found in at least 771 of the 1,430 National Priorities List sites identified by the Environmental Protection Agency (EPA).

What is tetrachloroethylene?

Tetrachloroethylene is a manufactured chemical that is widely used for dry cleaning of fabrics and for metal-degreasing. It is also used to make other chemicals and is used in some consumer products.

Other names for tetrachloroethylene include perchloroethylene, PCE, and tetrachloroethene. It is a nonflammable liquid at room temperature. It evaporates easily into the air and has a sharp, sweet odor. Most people can smell tetrachloroethylene when it is present in the air at a level of 1 part tetrachloroethylene per million parts of air (1 ppm) or more, although some can smell it at even lower levels.

What happens to tetrachloroethylene when it enters the environment?

- Much of the tetrachloroethylene that gets into water or soil evaporates into the air.
- Microorganisms can break down some of the tetrachloroethylene in soil or underground water.
- In the air, it is broken down by sunlight into other chemicals or brought back to the soil and water by rain.

- It does not appear to collect in fish or other animals that live in water.

How might I be exposed to tetrachloroethylene?

- When you bring clothes from the dry cleaners, they will release small amounts of tetrachloroethylene into the air.
- When you drink water containing tetrachloroethylene, you are exposed to it

How can tetrachloroethylene affect my health?

High concentrations of tetrachloroethylene (particularly in closed, poorly ventilated areas) can cause dizziness, headache, sleepiness, confusion, nausea, difficulty in speaking and walking, unconsciousness, and death.

Irritation may result from repeated or extended skin contact with it. These symptoms occur almost entirely in work (or hobby) environments when people have been accidentally exposed to high concentrations or have intentionally used tetrachloroethylene to get a "high."

In industry, most workers are exposed to levels lower than those causing obvious nervous system effects. The health effects of breathing in air or drinking water with low levels of tetrachloroethylene are not known.

Results from some studies suggest that women who work in dry cleaning industries where exposures to tetrachloroethylene can be quite high may have more menstrual problems and spontaneous abortions than women who are not exposed. However, it is not known if tetrachloroethylene was responsible for these problems because other possible causes were not considered.

Results of animal studies, conducted with amounts much higher than those that most people are exposed to, show that tetrachloroethylene can cause liver and kidney damage. Exposure to very high levels of tetrachloroethylene can be toxic to the unborn pups of pregnant rats and mice. Changes in behavior were observed in the offspring of rats that breathed high levels of the chemical while they were pregnant.

How likely is tetrachloroethylene to cause cancer?

The Department of Health and Human Services (DHHS) has determined that tetrachloroethylene may reasonably be anticipated to be a carcinogen. Tetrachloroethylene has been shown to cause liver tumors in mice and kidney tumors in male rats.

Is there a medical test to show whether I've been exposed to tetrachloroethylene??

One way of testing for tetrachloroethylene exposure is to measure the amount of the chemical in the breath, much the same way breath-alcohol measurements are used to determine the amount of alcohol in the blood.

Because it is stored in the body's fat and slowly released into the bloodstream, tetrachloroethylene can be detected in the breath for weeks following a heavy exposure.

Tetrachloroethylene and trichloroacetic acid (TCA), a breakdown product of tetrachloroethylene, can be detected in the blood. These tests are relatively simple to perform. These tests aren't available at most doctors' offices, but can be performed at special laboratories that have the right equipment.

Because exposure to other chemicals can produce the same breakdown products in the urine and blood, the tests for breakdown products cannot determine if you have been exposed to tetrachloroethylene or the other chemicals.

Has the federal government made recommendations to protect human health?

The EPA maximum contaminant level for the amount of tetrachloroethylene that can be in drinking water is 0.005 milligrams tetrachloroethylene per liter of water (0.005 mg/L).

The Occupational Safety and Health Administration (OSHA) has set a limit of 100 ppm for an 8-hour workday over a 40-hour workweek.

The National Institute for Occupational Safety and Health (NIOSH) recommends that tetrachloroethylene be handled as a potential carcinogen and recommends that levels in workplace air should be as low as possible.

Glossary

Carcinogen: A substance with the ability to cause cancer.

CAS: Chemical Abstracts Service.

Milligram (mg): One thousandth of a gram.

Nonflammable: Will not burn.

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1997. Toxicological Profile for Tetrachloroethylene. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

Where can I get more information?

If you have questions or concerns, please contact your community or state health or environmental quality department or:

For more information, contact:
Agency for Toxic Substances and Disease Registry
Division of Toxicology and Environmental Medicine
1600 Clifton Road NE, Mailstop F-62
Atlanta, GA 30333
Phone: 1-800-CDC-INFO · 888-232-6348 (TTY)
Fax: 1-770-488-4178
Email: cdcinfo@cdc.gov

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

Information line and technical assistance:
Phone: 888-422-8737
FAX: (770)-488-4178

To order toxicological profiles, contact:
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

Disclaimer
All ATSDR Toxicological Profile, Public Health Statement and ToxFAQs PDF files are electronic conversions from paper copy or other electronic ASCII text files. This conversion may have resulted in character translation or format errors. Users are referred to the original paper copy of the toxicological profile for the official text, figures, and tables. Original paper copies can be obtained via the directions on the toxicological profile home page, which also contains other important information about the profiles.

- Page last reviewed: March 3, 2011
- Page last updated: March 3, 2011
- Content source: Agency for Toxic Substances and Disease Registry

Agency for Toxic Substances and Disease Registry, 4770 Buford Hwy NE,
Atlanta, GA 30341
Contact CDC: 800-232-4636 / TTY: 888-232-6348

ATSDR Agency for Toxic Substances & Disease Registry

Tetrachloroethylene (PERC)

CAS ID #: 127-18-4

Affected Organ Systems: Developmental (effects during periods when organs are developing) , Neurological (Nervous System), Respiratory (From the Nose to the Lungs)

Cancer Effects: Reasonably Anticipated to be Human Carcinogens

Chemical Classification: Volatile organic compounds

Summary: Tetrachloroethylene is a manufactured chemical that is widely used for dry cleaning of fabrics and for metal-degreasing. It is also used to make other chemicals and is used in some consumer products.

Community Members

ToxFAQs™
Fact sheet that answers the most frequently asked questions about a contaminant and its health effects.

Public Health Statement
Summary about a hazardous substance taken from Chapter One of its respective ATSDR Toxicological Profile.

ATSDR Camp Lejeune Site Information
U.S. Marine Corps Base Camp Lejeune, North Carolina was established in 1942. In 1982, the Marine Corps discovered specific volatile organic compounds (VOCs) in the drinking water provided by two of the eight water treatment plants on base.

Water from the Tarawa Terrace Treatment Plant was contaminated by PCE (perchloroethylene or tetrachloroethylene).

Emergency Responders

Medical Management Guidelines (MMG) for Acute Chemical Exposure
Publication intended to aid emergency department physicians and other emergency healthcare professionals who manage acute exposures resulting from chemical incidents.

Toxicological and Health Professionals

Medical Education and Training

Case Study in Environmental Medicine (CSEM)

Self-instructional publication designed to increase primary care provider's knowledge of a hazardous substance in the environment and to aid in the evaluation of potentially exposed patients.

- Page last reviewed: March 3, 2011
- Page last updated: March 3, 2011
- Content source: Agency for Toxic Substances and Disease Registry

Agency for Toxic Substances and Disease Registry, 4770 Buford Hwy NE,
Atlanta, GA 30341
Contact CDC: 800-232-4636 / TTY: 888-232-6348

ATSDR Agency for Toxic Substances & Disease Registry

Tetrachloroethylene (PERC)

CAS ID #: 127-18-4

Affected Organ Systems: Developmental (effects during periods when organs are developing) , Neurological (Nervous System), Respiratory (From the Nose to the Lungs)

Cancer Effects: Reasonably Anticipated to be Human Carcinogens

Chemical Classification: Volatile organic compounds

Summary: Tetrachloroethylene is a manufactured chemical that is widely used for dry cleaning of fabrics and for metal-degreasing. It is also used to make other chemicals and is used in some consumer products.

Community Members

ToxFAQs™
Fact sheet that answers the most frequently asked questions about a contaminant and its health effects.

Public Health Statement
Summary about a hazardous substance taken from Chapter One of its respective ATSDR Toxicological Profile.

ATSDR Camp Lejeune Site Information
U.S. Marine Corps Base Camp Lejeune, North Carolina was established in 1942. In 1982, the Marine Corps discovered specific volatile organic compounds (VOCs) in the drinking water provided by two of the eight water treatment plants on base.

Water from the Tarawa Terrace Treatment Plant was contaminated by PCE (perchloroethylene or tetrachloroethylene).

Emergency Responders

Medical Management Guidelines (MMG) for Acute Chemical Exposure
Publication intended to aid emergency department physicians and other emergency healthcare professionals who manage acute exposures resulting from chemical incidents.

Toxicological and Health Professionals

Medical Education and Training

Case Study in Environmental Medicine (CSEM)

Self-instructional publication designed to increase primary care provider's knowledge of a hazardous substance in the environment and to aid in the evaluation of potentially exposed patients.

- Page last reviewed: March 3, 2011
- Page last updated: March 3, 2011
- Content source: Agency for Toxic Substances and Disease Registry

Agency for Toxic Substances and Disease Registry, 4770 Buford Hwy NE,
Atlanta, GA 30341
Contact CDC: 800-232-4636 / TTY: 888-232-6348